

In the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1 1. (Currently Amended) A device for emitting water into the inside of a
2 container comprising a tube having one end adapted to be attached to a
3 source of water, a spray head carried by the other end of said tube, a
4 plunger having a nose at one end normally extending out of said spray
5 head and a base at the other end, a spring in said spray head engaging
6 said base to urge said nose of said plunger out of said spray head, and a
7 seal in said spray head, said base having wings extending radially
8 outwardly therefrom and a rim extending upwardly therefrom to press into
9 one side of said seal, and said spray head having at least one rib to press
10 into the other side of said seal.
- 1 2. (Original) The device of claim 1 further comprising a shelf formed in said
2 spray head, said seal having a surface the majority of which is received
3 on said shelf.
- 1 3. (Canceled).
- 1 4. (Canceled).
- 1 5. (Canceled).
- 1 6. (Original) The device of claim 2 further comprising a hose having one end
2 attached to said one end of said tube, a device at the other end of said
3 hose and adapted to be attached to a source of water, said device
4 including a valve and a spring to maintain said valve closed when said
5 device is detached from the source of water to maintain any water in said
6 hose.

1 7. (Canceled).

1 8. (Canceled).

1 9. (Original) The device of claim 1 further comprising a hose having one end
2 attached to said one end of said tube, a device at the other end of said
3 hose and adapted to be attached to a source of water, said device
4 including a valve and a spring to maintain said valve closed when said
5 device is detached from the source of water to maintain any water in said
6 hose.

1 10. (Canceled).

1 11. (Canceled).

1 12. (Canceled).

1 13. (Canceled).

1 14. (Original) The device of claim 1 wherein said spray head has a top
2 surface with an aperture therein, said plunger extending through said
3 aperture.

1 15. (Canceled).

1 16. (Currently Amended) The device of claim 1 further comprising
2 generally radially directed spray apertures in said spray head.

1 17. (Previously Presented) The device of claim 1 wherein said plunger
2 includes a stem extending upwardly from said base, said nose being
3 received over said stem, said nose being thereby removable from said
4 base.

1 18. (Original) The device of claim 17 wherein said nose has an outer tapered
2 wall.

1 19. (Canceled).

1 20. (Currently Amended) A device for emitting water into the inside of a
2 container comprising a tube having one end adapted to be attached to a
3 source of water, a spray head carried by the other end of said tube, a
4 plunger including a nose at one end normally extending out of said spray
5 head and a base at the other end, said base including a stem, a shelf
6 formed in said spray head, a seal having a surface the majority and less
7 than all of which is received on said shelf, and at least one rib extending
8 from said shelf to press into one side of said seal, said base having a rim
9 to press into the other side of said seal, and a spring between said tube
10 and said base, and received around said stem, to urge said nose out of
11 said spray head.

1 21. (Currently Amended) The device of claim ~~20~~ 23 further comprising a
2 spring in said spray head urging said one end of said plunger out of said
3 spray head.

1 22. (Canceled).

1 23. (Currently Amended) ~~The~~ A device of claim 20 further for emitting water
2 into the inside of a container comprising a tube having one end adapted
3 to be attached to a source of water, a spray head carried by the other end
4 of said tube, a plunger including a nose at one end normally extending
5 out of said spray head and a base at the other end, a shelf formed in said
6 spray head, a seal having a surface the majority and less than all of
7 which is received on said shelf, at least one rib extending from said shelf
8 to press into one side of said seal, said base having a rim to press into

9 the other side of said seal, a hose having one end attached to said one
10 end of said tube, and a device at the other end of said hose and adapted
11 to be attached to a source of water, said device including a valve and a
12 spring to maintain said valve closed when said device is detached from
13 the source of water to maintain any water in said hose.

1 24. (Canceled).

1 25. (Canceled).

1 26. (Canceled).

1 27. (Original) The device of claim 20 wherein at least eighty percent of the
2 surface of said seal is received on said shelf.

1 28. (Canceled).

1 29. (Canceled).

1 30. (Canceled).

1 31. (Canceled).

1 32. (Canceled).

1 33. (Canceled).

1 34. (Canceled).

1 35. (Canceled).

1 36. (Canceled).

REMARKS